

Web Images Videos Maps News Shopping Gmail more ▼

◀Google▶

Google

virtual resources actual

Search

Instant is off ▼

Google Checkout

About 3,130,000 results (0.56 seconds)

Advanced search

Everything

More

Arlington, VA

Change location

Show search tools

Virtual resources method, system, and service - Patent Application ...

by LR Degenaro - 2003

A method (and system) of refactoring a plurality of **actual resources** ... includes **constructing** at least one **virtual resource**, **connecting** at least one actual ... **retrieving** the at least one **virtual resource**, and **extracting** at least one storage medium) for **storing** steps of a program of a method according to the ...
www.freepatentsonline.com/y2005/0065937.html - Cached

2. Apache Sling - Resources

Aug 25, 2010 ... Thus Sling is maintaining a **virtual** tree of **resources**, ... and the search path retrieved from getSearchPath() is used to **retrieve** the **resource**. ... you might decide to **store** all accessible data inside a /content subtree. ... to prefix all incoming paths with /content to get at the **actual Resource**. ...
sling.apache.org › ... › Documentation › The Sling Engine
- Cached - Similar

3. Data Drive **Resource** Provider article - West Wind Technologies ...

Apr 1, 2009 ... This brings me to **storing resources** in a database. Databases are by nature more dynamic and you can NET calls to actually **retrieve actual resource** data. ... NET passes full **virtual** path: Strip out the **virtual** path ...
www.west-wind.com/presentations/wwdbresourceprovider/ - Cached

4. Felgall Mainframe - CICS Commands

EXEC CICS DEQ **RESOURCE**(data-area) [LENGTH(data-value)] [LUW | TASK | MAXLIFETIME(data-area)] END-EXEC. ... **extract** attach, **retrieve** values from an ATTACH FMH ... **extract** process, used in a back end program to obtain information passed via the

CONNECT release, free **virtual** storage acquired via a load command ...

www.felgall.com/cics2.htm - Cached - Similar

5. Amazon Elastic Compute Cloud (Amazon EC2)

When launching Amazon EC2 **resources** within Amazon **Virtual** Private Cloud (Amazon VPC), ... Amazon VPC enables enterprises to **connect** their existing infrastructure to a set of Each instance will **store** its **actual** launch time. ...

aws.amazon.com/ec2/ - Similar

6. [PDF] VLAM-G: A Grid-Based **Virtual** Laboratory

File Format: PDF/Adobe Acrobat - Quick View

by ASZ Belloum - Cited by 27 - Related articles

to **actual resources** (data sets, acquisition hardware, ... One of the fundamental challenges in experimental science is the **extraction of** ... data processing, may **retrieve** and **store** either raw or processed data and may con- ... A scientist may **connect** modules together using directed data flows to compose any ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.107.9480...

7. [PDF] CLF/Mekano: a framework for building **virtual**-enterprise ...

File Format: PDF/Adobe Acrobat - Quick View

by JM Andreoli - Cited by 33 - Related articles

and then to **retrieve** these o ers one by one (verb Next), ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.2...

 Show more results from psu.edu

8. Knowledge Portal **Construction** and **Resources** Integration for ...

by L Wang - 2006 - Cited by 2 - Related articles

decades promotes the improvement of enterprise knowledge **store** and knowledge ... information and **retrieving** useful knowledge. On the other hand, network provides provides unified presentation and access to **resources** available by **extracting** service ... Support layer provides **connection** to the **resource** of bottom ...

www.springerlink.com/index/080v871856662132.pdf - Similar

9. [PDF] **Virtual** Platform Technologies

File Format: PDF/Adobe Acrobat

by H Kishimoto - 2009 - Related articles

resources into a **virtual** platform in units of racks, the lifecycle begins when users **extract** existing ... Load-generating service. For **virtual** operation. For **actual** operation. Testing environment allocated, and after **connecting** to **virtual** storage ... **virtual** platform enables the prompt **construction**, ...

www.fujitsu.com/downloads/MAG/vol45-3/paper10.pdf

10. [PDF] R2D: **Extracting** Relational Structure from RDF Stores

File Format: PDF/Adobe Acrobat - Quick View

by S Ramanujam - Cited by 2 - Related articles

Apr 27, 2010 ... the need to create an **actual** physical relational schema and duplicate data. The work presented in this paper, ... between subject and object **resources**. R2D avoids this by r2d: predicate: The r2d:predicate **construct** is used to **store** ... The **virtual** relational schema generated by R2D for the ...

cs.utdallas.edu/semanticweb/.../Paper-R2D-Extracting-Relational-Structure.pdf

11. Web Glossary

A compressed format for **storing** images developed by CompuServe. One of the most common ... A world wide network **connecting** millions of computers. A framework for **constructing** languages for describing web **resources**. XQuery is a set of syntax rules (language) for **extracting** information from XML documents. ...

www.w3schools.com/site/site_glossary.asp - Cached - Similar

12. Build Network / Internet / Intranet / Distributed Delphi Applications

How to Enumerate Web Browser Windows and **Retrieve** Document Info (Url, Htm, Node) using Delphi ... Let's see how to **extract** the most current "In The Spotlight" blog ... Need to **connect** to the Internet, get your IP, download a file with ... How to **store** Web-style content inside a Delphi application (as a **resource**) ...

delphi.about.com/.../

[Build_Network_Internet_Intranet_Distributed_Delphi_Applications.htm](#) - Cached - Similar

13. Building and organizing internet collections - Elsevier

by WA Britten - 1995 - Cited by 16 - Related articles

Jan 13, 2000 ... Other libraries have organized Internet **resources** in

other ways. ... The current WWW **Virtual** Library is an allvolunteer effort administered ... (For a list of search engines **connect** to <http://www.lib.utk.edu/search.html>). ... **extract**, organize, search, and replicate information across the Internet. ...

linkinghub.elsevier.com/retrieve/pii/036464089500013Y - Similar

14. [PDF] Efficient, Automatic Web **Resource** Harvesting

File Format: PDF/Adobe Acrobat - Quick View

by ML Nelson - 2006 - Cited by 24 - Related articles

Nov 10, 2006 ... **extracting** the results are used to increase the scope of web of ListRecords, **retrieving** only identifiers, timestamps and set information. ... other cases, the interest is in transmitting the **actual resource** ... vided in a **construct** that contains one or two **Resources** in ...

www.cs.odu.edu/~mln/pubs/widm-2006/modoi-widm06.pdf - Similar

15. Make PHP apps fast, faster, fastest, Part 3: Cache your data in ...

Apr 24, 2007 ... Installed between your application and your data **store**, ... Next, download and **extract** the source for the version of PHP to limit how many servers to **connect** to persist or **retrieve** data. PHP.net is the **resource** for PHP developers. Cloud Computing for developers. Two-day **virtual** event ...

www.ibm.com/developerworks/.../library/os-php-fastapps3/

- Cached - Similar

16. ASP.NET QuickStart Tutorials

Retrieving SiteMapNode instances based on the current HttpContext, ... Multiple sitemap files can be linked together to form a single "**virtual**" set of ... As a developer, you can choose to **store** your navigational data in other data In the sample web.sitemap , an explicit **resource** expression is used for the ...

quickstarts.asp.net/QuickStartv20/aspnet/doc/.../sitnavapi.aspx

- Similar

17. A Distributed Architecture for **Resource** Discovery Using Metadata

by M Roszkowski - 1998 - Cited by 21 - Related articles

The application of metadata for **resource** discovery is not a new idea. and most do not support simultaneous **connections** to multiple servers, ... such as the ability to uniquely name a document and **store** it in multiple formats (such as ... a user enter to **retrieve**

resources from the combined, **virtual** collection? ...

www.dlib.org/dlib/june98/scout/06roszkowski.html - Cached - Similar

18. Dr Dobbs - Icon Browser: An Exercise in **Resource** Management

Sep 1, 2002 ... Every so often, I find myself needing to **extract** an icon from an executable or DLL ... only deal with a handle to the icon and not the **actual** icon **resource**. To **retrieve resources** from unmanaged libraries, ICO file format is different to the format used to **store** icons in **resource** files. ...

www.drdobbs.com/184403871 - Cached

19. A National Human Neuroimaging Collaboratory Enabled by the ...

by DB Keator - 2008 - Cited by 27 - Related articles

The BIRN is a **virtual** community of shared **resources** consisting of a central **Storing** and accessing the data can be achieved in a centralized data ... for a secure access to the SRB server to **retrieve** data files or submit jobs to the the **virtual** views and create query plans against the **actual sources** whose ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC2763494/

20. Building RESTful Clients

In this case, the **resource** is formatted as XML and represents a list of all the ... HTTP GET request for the **resource** that represents all my **virtual** machines. ... and write the code that can **extract** the data you need from that **resource**. or **retrieve** the **resource** (since you need a copy of the current **resource** to ...

msdn.microsoft.com/en-us/.../ee309509.aspx - Cached - Similar

21. Creating a Datacenter - Abiquo 1.6 - Open Source Cloud Computing ...

Aug 25, 2010 ... Protocol, The protocol used to **connect** to the Remote Service ... Can **retrieve** hardware information, Hypervisor type, and existing **Virtual** Machien information. ... Reserved **virtual** CPU by enterprises / Real **virtual** CPU / Used **virtual** CPU.

Reserved Hard Disk **resources** by enterprises / Real Hard Disk ...

www.abicloud.org/display/ABI16/Creating+a+Datacenter - Cached

22. BMC Communities: **Storing** XML Data

Mar 29, 2010 ... Using this approach, you can **construct** the XMLType instance from XML in The **actual** XML data in the files

For example when users are **connecting** to remote desktops on TS or VDI and ... selected ACDC will **connect** to WMI and **retrieve** package and application A number of useful App-V (**resource** kit) tools have been released which look very useful: ... while still being able to utilize the **virtual resources** such as file ...
www.softgridblog.com/?cat=4 - Cached - Similar

Aug 21, 2007 ... **Retrieving** a single post (a **resource**) using SOAP-based web services would use URI syntax much ... not the **actual resource** (the specific blog post). **Virtual Event: Master Essential Techniques for Leveraging the Cloud** ...
www.developer.com/net/article.php/3695436 - Cached

File Format: PDF/Adobe Acrobat - Quick View
by A BÂRA - Cited by 2 - Related articles
to build your system through SQL queries and **retrieve** ... process
that load data into the target **sources**. In this ... warehouses
solutions: **store** data and **virtual** extraction. ... testing and
implemented the **actual** prototype. ...
www.wseas.us/e-library/conferences/2008/uk/AIKED/AIKED-76.pdf

File Format: PDF/Adobe Acrobat - View as HTML
by M Uflacker - Cited by 1 - Related articles
and to **construct** semantic information networks as a formal representation time of writing, we are using feeder applications to **extract resource** associations ... networks with each one **connecting** nodes in the range of 1000 **resources** or more. ... leveraged instantly to **retrieve** information and to enhance context ...
www.iadis.net/dl/final_uploads/200817C055.pdf

27. Metadata Representation of Real-World Objects for Architectural ...

by M Wolpers - 2009 - Cited by 1 - Related articles

real world do not take up **virtual** computer memory and ... for each new digital learning **resource** in the MACE **store** for which no RWO exists. Uniqueness on the ... We automatically **extract** names of persons, locations and buildings from the ... query DBpedia to filter the results and to **retrieve** the ...

doi.ieeecomputersociety.org/10.1109/ICALT.2009.22

28. Archives & Museum Informatics: Museums and the Web 2010: Papers ...

Related articles

Resource description: it's all about standards Using the ArchiVista API, other databases will be able to **connect** and **retrieve** data and process ... ArchiVista in itself is also able to **extract** data from other OAI-PMH compatible **resources**. It makes the difference between the real world and the **virtual** world ...

www.archimuse.com/mw2010/papers/lemmens/lemmens.html

29. Amazon Web Services Developer Community : Mobile Monitoring and ...

This article demonstrates how developers can use the iPhone to manage and monitor their Amazon EC2 and Amazon S3 **resources**, using very ...

developer.amazonwebservices.com/**connect**/entry!default.jspa?...

- Cached

30. [PDF] Storage Virtualization

File Format: PDF/Adobe Acrobat - Quick View

share **virtual resources** without exposure to other users' bad behavior or mistakes. ... **connect** different vendor storage to the systems. This method ... the **actual** data block as it spun around on a disk platter. This Although striping greatly helped to **retrieve** data faster, it did pose a significant risk that, ...

media.wiley.com/assets/2112/24/9780470597705.pdf - Similar

31. How to Use the Facebook **Connect** API in an ASP.NET Web Application

Feb 25, 2010 ... Another reason you may want to use Facebook

Connect is as an authentication **store**; a good portion of ...

Facebook's script contains the necessary components to **extract** ...

This ID is used to **retrieve** information about the user, ... have the

resources to overhaul their entire messaging environment. ...

[www.windowsitpro.com/.../How-to-Use-the-Facebook-Connect-API-](http://www.windowsitpro.com/.../How-to-Use-the-Facebook-Connect-API-in-an-ASP-NET-Web-Application.aspx)

[in-an-ASP-NET-Web-Application.aspx](http://www.windowsitpro.com/.../How-to-Use-the-Facebook-Connect-API-in-an-ASP-NET-Web-Application.aspx) - Cached

32. A Distributed Architecture for **Resource** Discovery Using Metadata

by M Roszkowski - 1998 - Cited by 21 - Related articles

The metadata repository service uses a stand-alone LDAP server to

store the ... The metadata repository service also can **extract** index

information from the ... The application of metadata for **resource**

discovery is not a new idea. must a user enter to **retrieve**

resources from the combined, **virtual** collection? ...

www.iicm.tugraz.at/Ressourcen/Theses/.../roszkowski.html - Cached

33. Infostructure - akbanis

Extract: The year is 1903. A real estate developer has just decided

to bring copper wires to ... collating, and **retrieving** all types of

information (last modified Aug. The quality of data and

information, knowledge **resources** (databases, itself with an

infostructure like a **virtual** National Library system. ...

sites.google.com/site/akbanis/home/drmt_geo/infostructure - Similar

34. CICS Commands

Mar 7, 2010 ... EXEC CICS **EXTRACT** ATTACH [ATTACHID(name)

| CONVID(name) | SESSION(name)] [PROCESS(name)]

[**RESOURCE**(name)] [RPROCESS(name)] ...

www.scribd.com/doc/27946812/CICS-Commands - Cached

35. Data mining: a tool for all fraud examiners - Association of ...

Typically business applications **store** recent data in tables for quick

and easy ... A query is a set of criteria that you specify to identify and

retrieve data ... view your data **extract** in read-only mode if you're

unsure of your techniques. ... can **connect** to multiple (non-similar)

data **sources** at the same time and ...

www.acfe.com/resources/view.asp?ArticleID=365 - Cached

36. **Retrieving** Scenarios from the Metropolitan Model Repository

The map documents will **connect** to the data exclusively on

computers that are ... The GIS **resources** and tools described in this document can be used ... server to **store** and **retrieve** data requested by ArcMap and ArcGlobe. ... So our first goal will be to **extract** a local clip of the data to our local hard drive. ...
www.gsd.harvard.edu/gis/manual/metromodel/index.htm
- Cached - Similar

37. Knowledge Management System Building Blocks

Storing data is not the primary purpose of the pool (data should only be stored here if ... Integrating such legacy systems simply by **extracting** their data is rather Having described the three major building blocks, namely the **virtual** ... and their relevance becomes clear when human **resources** data or ERP ...
issuu.com/academic...org/.../ejkm-volume1-issue2-article21 - Cached

38. [PDF] Efficient, Automatic Web **Resource** Harvesting

File Format: PDF/Adobe Acrobat - Quick View
by ML Nelson - 2006 - Cited by 24 - Related articles
extracting the results are used to increase the scope of web of ListRecords, **retrieving** only identifiers, timestamps and ... other cases, the interest is in transmitting the **actual resource** ... vided in a **construct** that contains one or two **Resources** in ... It is a **virtual** path which instructs Apache ...
www.modoai.org/pubs/widm140-smith.pdf

39. Web Technologies

This subset is intended for **resource** location, i.e. how to reach a document. ... It updates HTML using more recent web technologies that **connect** it to the initiatives ... They are associated to web documents so a search engine can **retrieve** them in ... To **construct** a specific XML language, also called a vocabulary, ...
rhizomik.net/html/~roberto/thesis/.../WebTechnologies.html - Cached

40. [poc] Distributed Computing

File Format: Microsoft Word - View as HTML
... distributed computing system is to **connect** users and IT **resources** in a transparent, ... **Virtual resources**, which can be exchanged and are independent from its that can be used to **store** and **retrieve** any amount of data, at any time, which means that users cannot easily **extract** their data and code from ...

www.itu.int/dms_pub/itu-t/oth/.../T23010000090001MSWE.doc

41. Web / Programming / PHP - WebReference.com

Aug 12, 2002 ... Listings of PHP **resources** and sites. From WebReference.com ... Building an online **Store**: Learn how to create a simple, which allows you to dynamically **retrieve** data that can then be used in JavaScript scripts. ... PHP **Resources**: Great links from the Web Developer's **Virtual** Library. ...

www.webreference.com/programming/php/ - Cached - Similar

42. Pragmatic Programming Techniques: Amazon Cloud Computing

Nov 12, 2009 ... CloudWatch provides an API to **extract** system level metrics for ... Auto-scaling allows **resource** capacity (number of EC2 instances) ... Amazon S3 provides a HTTP/XML services to save and **retrieve** content ... SimpleDB is typically used as a metadata **store** in conjunction with S3 where the **actual** data is ...

horicky.blogspot.com/.../amazon-cloud-computing.html

- Cached - Similar

43. [PDF] Web service security for Computational Portals

File Format: PDF/Adobe Acrobat - Quick View

by C Youn - Cited by 11 - Related articles

portal administrator, **resource** management and science applications for ... databases and shapefiles can be integrated as a **virtual** relational **resource**. ... out and in, **retrieve** seismic event and station locations, **extract** waveforms ... for the data model is returned to the users to **construct** a 3D geologic model. ...

www.geongrid.org/pubs/local/choonhan_youn_paper16.pdf

44. [PDF] Sensemaking in the Enterprise: A Framework for **Retrieving** ...

File Format: PDF/Adobe Acrobat - Quick View

by A Omar - Related articles

In this sense, the success of the hit list **construction** depends a lot ... heterogeneous **sources**. In fact, the overall answer will probably **store** all the users' summarization content and security access privileges. **retrieve**, **extract**, and arrange information that is relevant to the current task. ...

www.csif.cs.ucdavis.edu/~alonsoom/sap_sensemaking.pdf

45. [PDF] Bridging the **Virtual** Observatory and the GRID with the query element

File Format: PDF/Adobe Acrobat - Quick View

by G Taffoni - 2006 - Cited by 2 - Related articles

modified grid Information System are able to **connect** the Grid environment to **Virtual** Observatory ... **extracting** simulated data deriving from models from an archive of ... Of course, issues like comparing the costs and benefits of **storing** ... models for Grid **resources**. They are able to **retrieve** run time data ...
arxiv.org/pdf/astro-ph/0605165 - Similar

46. FAQ - PostgreSQL Wiki

Nobody will make a custom patch for you so you can (say) **extract** a fix Use of CLUSTER when **retrieving** many rows from an index CHAR(n) is for **storing** strings that are all the same length. ... You probably have run out of **virtual** memory on your system, or your kernel has a low limit for certain **resources**. ...
wiki.postgresql.org/wiki/FAQ - Cached - Similar

47. [PDF] Gnowsisi Adapter Framework: Treating Structured Data Sources as ...

File Format: PDF/Adobe Acrobat - Quick View

by L Sauermann - Cited by 23 - Related articles

quest, but they serve as bootstrapping interfaces to quickly **retrieve** information ... the data source already uses URIs to identify **resources** or a specification exists recommend using a Quad-**Store** or named graph **store** for this and chose the By **extracting** real-life data **sources**, gnowsisi adapters ...

www.dfki.uni-kl.de/~sauermann/papers/Sauermann%2B2005c.pdf

48. [doc] Download - msdev: Home

File Format: Microsoft Word - View as HTML

The **virtual** lab will require you to **connect** to SQL Azure. ... Download and **extract** the **Virtual** Lab **resource** files The functionality is primarily concerned with **storing** and **retrieving** binary objects in the cloud. page – the default thumbnail image should be replaced with a thumbnail of the **actual** image: ...
www.msdev.com/azure/.../ITM_AzureVirtualLab_Walkthrough.docx
- Similar

49. [PDF] On the Use of Social Networking Groups for Automatic Configuration ...

File Format: PDF/Adobe Acrobat - Quick View

by P St Juste - Cited by 4 - Related articles

network of **virtual resources** suitable for grid computing. other group members through the group's own data **store**. ... workstations can properly **connect**. The second phase is ... sent to a virtual NIC by the operating system. We **extract** **retrieve** the signed certificate corresponding to its certifi- ...
byron.acis.ufl.edu/papers/gce08.pdf

50. Building Talent

Who can you trust in a network of distributed people, tools, and **sources** of information? ... accurately and relevantly **retrieve** learning modules as they need them. ... with tools to compress lecture material and automatically **extract** highlights. **Virtual** auditoriums let participants interact in real time and ...
www.newmango.com/01iff/buiding.html - Cached - Similar

51. XML PATH returns

DataSet containing the **virtual resources** ' provided by 13, 2007 12:21 AM I have a dataset which returns XML using the "FOR XML PATH" **construct**. 0 code that interacts with an XML file to **retrieve** nodes / elements of data. **resource** for learning how to **extract** a URL from an XML page using ASP 3. ...
www.eggheadcafe.com/searchform.aspx?search=XML+PATH...
- Cached

52. [RTF] BibTeX

File Format: Rich Text Format - View as HTML

Web indexes based on robot **extraction of** (currently unstructured) Because of some similarity of **construction** and content across formats in this band to **connect** the parts of the distributed public information **resource** is acknowledged. ... A user may search the CHIO Information **Resource** to **retrieve** digital ...
www.ukoln.ac.uk/metadata/desire/overview/overview.rtf - Similar

53. Knowledge-Assisted Retrieval of Online Product Information in ...

by KY Lin - 2007 - Cited by 1 - Related articles

While the Internet provides an ever-growing **resource** for product information, ... the potential of the **virtual** market—help **retrieve** A/E/

C product information, ... However, current approaches that support Architectural/Engineering/**Construction** Although (1) **extracting** precise product information such as property ...

link.aip.org/link/?JCEMD4/133/871/1

54. Research of Digital **Resources** Integration of University Library ...

by Q Hui-fang - 2010 - Related articles

to access, **store**, distribute information. The emergence of ... principles of the **construction** of information **resources**, such bibliographic, automatic **extraction of** keywords of the web ... Internal museum integration integrate real and **virtual** ... to form a new organic whole, and **connecting** those digital ...
ieeexplore.ieee.org/iel5/5472208/5479125/05479391.pdf?arnumber...

55. Semiotics_95:Ryder

by M Ryder - Related articles

In the **construction** of meaning, the reader deconstructs information, Today's common desktop computer can **store** the equivalent of about one hundred books. ... Using the Internet, **resources** can be shared between universities, ... They **retrieve** the **actual** text. Once retrieved, the text can be searched, ...
carbon.ucdenver.edu/~mryder/semiotics_95.html - Cached - Similar

56. [PDF] **Extracting** Answers from the Web Using Knowledge Annotation and ...

File Format: PDF/Adobe Acrobat - Quick View

by JLAB Katz - Cited by 44 - Related articles

By **connecting** natural language queries to this "vir- ... system, and Omnibase is a **virtual** database that pro- ... **retrieving** the **actual** answers by executing the database queries. The retrieval of such ... wrapper must be written for the knowledge **resource**. able to **construct** effective database access schemata ...

groups.csail.mit.edu/infolab/.../Lin-et-al-TREC2002.pdf - Similar

57. [PDF] Beyond PVM 3.4: W hat W e've Learned, W hat's Next, and W hy GA_...

File Format: PDF/Adobe Acrobat - Quick View

by GA Geist - Related articles

as a single **virtual resource**. The basic PVM system has gone through three ... heterogeneity makes it easy to **construct** programs

that interoperate across PVM applications, **extract** information, and detach without concern about in- ... agents could **retrieve** the module and use another message handler to cause the ...

www.csm.ornl.gov/harness/publications/beyond97geist.pdf

58. Citrix Systems - **Virtualization**, Networking and Cloud. Simplified.

Workload Balancing Data **Store** Requirements Note: The ability to view alerts is part of the **Connect** to Pool and read all pool metadata permission. ... Add, remove, and **retrieve** secrets. This permission includes all the actions When combined with shared storage, a **resource** pool enables VMs to be started on ...

docs.vmd.citrix.com/XenServer/5.6.0/1.0/en_gb/reference.html

- Cached

59. Creating User Defined Bundles from the Digital Library.

by H Davis - Cited by 10 - Related articles

This would allow the sharing of **resources** and relieve pressure on large central ... the digital library is that we may **store** and present multimedia **resources**. ... on **extracting** these bundles from large catalogued collections of digital **resources**. ... Automatic **construction** of hypertexts from a collection of linear ...

www.csd.tamu.edu/DL95/papers/davis/davis.html - Cached - Similar

60. Software : Surveyor Manager 1.22 . 2538 online marketing business

Chat format real-time **connect** Email not friends such program auto-fill, ... and of **retrieve** data button It 'mandatory watch Forms, mapping provides MySQL. It high reliability machine collection look. has port to a tools, **resource** whole SSH server, Offline browser :Information **Extract** : DOWNLOAD shareware ...

www.email-marketing-easy.com/desc/indexN6964.html - Cached

61. Using Oracle WebCenter REST APIs

Oracle WebCenter provides a set of REST APIs for **retrieving** and Example 28-2 shows a method that locates a URI given the **Resource** Index JSON Table 28-1 describes the general pattern followed when **constructing** opaque **resource** URIs. //create a datamodel to display the JSON var **store** = new Ext.data. ...

download.oracle.com/docs/cd/...01/.../jpsdg_rest_api.htm - Cached

62. 15 Seconds : Creating an FTP Component in Visual Basic

COM and **storing** the file in C:\DIRMAP.TXT. Once again the basic steps are: ... If we pass the value 3, we'll **connect** via a proxy server. Sep 26, 2003 - Accessing Shared **Resources** Using ASP. NET ... Doug Dean explains different methods of **retrieving** and manipulating data from a database in a VB DLL so that it ...
www.15seconds.com/issue/981203.htm - Cached - Similar

63. SAP BW Business Warehouse - SAP Books & Preparation Materials ...

1 post - 1 author - Last post: Nov 3, 2009
The BW product is designed to **store** all business-critical information ... that handles all the requests for **retrieving**, adding, changing, or deleting metadata. ... Programming Interface (BAPI) to **extract** data from non-SAP **sources**. BAPI serves the purpose of **connecting** third- party ETL tools to SAP ...
forum.onestopsap.com/forum_posts.asp?TID=3502 - Cached

 Get more discussion results

64. Worklog :: WL#3283 >> C/C++ API to binary log

MySQL Forge. **Resources** for the MySQL Community ... This will provide maximal flexibility regarding the location and method for **retrieving** contents of a binary log. **virtual** Error **connect**()= 0; /**
* Blocking attempt to get the next @param storage A pointer to the memory where the **actual** value resides ...
forge.mysql.com/worklog/task.php?id=3283 - Cached - Similar

65. [PDF] A WEB-BASED ARCHITECTURE FOR EMPOWERING LEARNING COMMUNITIES ...

File Format: PDF/Adobe Acrobat
by S Chatzinotas - Cited by 3 - Related articles
embedded into more integrated systems, such as a **Virtual** Learning **retrieve** and offer "knowledge" from/to the web-based learning community and at the same stage, the **resource** has little value for the community members, since it **Connecting** Learning Objects to Instructional Design Theory: A Definition, ...
www.ask4research.info/Uploads/Files/.../En.../1105554521.pdf

66. FAQ - MySQL GUI Tools. MySQL Monitor and Manager

MONyog throws an error when trying to **connect** to MySQL. ...
MONyog is taking up too much of system **resources** with the

PROCESSLIST-based sniffer. ... After **extracting** the tar.gz package, you will get a file called README. For that reason MONyog may (or rather will) **retrieve** and **store** slightly different values ...

www.webyog.com/doc/MONyog/FAQ.htm - Cached

67. C# and ADO .NET by edlukens

Feb 1, 2005 ... Net, C#, C++, Win32, Programming **resources** - CoderSource between the dataset in cache and the **actual** database table in the database. and its purpose is to **extract** data from the columns in the row and **store** in the we **connect** to the database to **retrieve** rows based on our select query, ...

www.codersource.net/asp-net/ado-net/c-and-ado-net.aspx - Cached

68. BioMed Central | Full text | Structuring and **extracting** knowledge ...

by M Roos - 2009 - Cited by 3 - Related articles

Oct 1, 2009 ... The methodology can be used to bootstrap the **construction** of ... Many Web **resources** are available for molecular biologists to ... The advantage of routinely **storing** extracted knowledge is that it ... This model serves to **retrieve** the evidence for the population of our biological model (Figure 4). ...

www.biomedcentral.com/1471-2105/10/S10/S9 - Cached - Similar

69. Insync10 anthony spierings

Consider the following equation; If we wanted to **store** this equation ... When we **retrieve** these two values, we can logically reconstruct n 3 ... Synchronise Oracle Primavera material **resource** pool with Mincom ... **construct** this side of the equation; Option 1 – **Extract** data directly from the database ...

www.slideshare.net/InSyncConference/insync10-anthony-spierings - Cached

70. Freebyte! - Your Guide to the Web. Freeware, shareware, clipart ...

Free system tools, free network monitoring tools, free **virtual** private ... It allows you to **store** all your notes, images, emails, texts, hyperlinks, etc. into one or more databases. ... **storing**, browsing, searching and **retrieving** your data can not be easier! ... More Free Things, This Site. Anti-spam **resources** ...

www.freebyte.com/ - Cached - Similar

71. Silverlight Navigation - Part 2 - David Hill's WebLog - Site Home ...

Nov 2, 2008 ... The controller typically uses the parameters to **construct** or initialize a The page can then **extract** the parameters that it needs, say to **retrieve** data or configure itself. **Resources**>. With the application's ViewModel defined, Can you **connect** the dots between Prism and Helix? for me, ...
blogs.msdn.com/b/dphill/.../11/.../silverlight-navigation-part-2.aspx
- Cached

72. CICC Web **Resources** - Chemical Informatics and Cyberinfrastructure ...

Sep 30, 2007 ... We currently only **store** a single low energy conformer for each structure. are accessible and the **actual** score values are coming soon. ... **Extract** columns from given Votable and to create a new Votable Uses the web service interface to the docking database to **retrieve** structure information. ...
www.chembiogrid.org/wiki/index.php/CICC_Web_Resources
- Cached

73. CINDI: A **Virtual** Library Indexing and Discovery System. - Free ...

This subsystem uses an SHDDB area to **store** the SHs and other related objects. to access one or more of the **actual resources** by **connecting** to a browser browser ... A user can access the **actual resource** only if the selected item for ... is an improvement over **extracting** phrases from the first part of a **resource** ...
www.thefreelibrary.com/CINDI%3A+A+Virtual+Library+Indexing+and+Discovery+System-a057046533 - Cached

74. Glossary of Terms | Hostway Web **Resources** | Hostway Web Solutions

Web Resources | Everything you need to know to succeed online The practice of **storing** a Web site or page URL within a Web browser for easy Length of time a Web server is offline or unable to **connect** to the Internet. A standard communication protocol for **retrieving** emails from an email server. ...
www.hostway.com/web-resources/glossary/ - Cached

75. Student Project Ideas - Google Summer of Code - NCSA Wiki ...

Mar 18, 2010 ... Description: We're building a system to **store** geospatial data from sensors ... This works is built on top of the

virtual sensor project. ... and in **connecting** defuddle into the Tupelo middleware for Platform (RCP) and the **Resource** Description Framework (RDF) (and other semantic web efforts). ...
<https://wiki.ncsa.illinois.edu/display/.../Student+Project+Ideas>
- Cached - Similar

76. 10 Steps to Kick-Start Your VMware Automation with PowerCLI

Use the **Connect-VIServer** cmdlet to make the connection to VMware vCenter: Of course, you may not have enough **resources** on the target host to move ... Next, we **retrieve** all of the **virtual** machines on the source host, **storing** them in it is difficult to **extract** this information out from the GUI and into a ...
www.simple-talk.com/.../virtualization/10-steps-to-kick-start-your-vmware-automation-with-powercli/ - Cached

77. [PDF] SAP Business Warehouse

File Format: PDF/Adobe Acrobat - Quick View
and a Metadata Manager that handles all the requests for **retrieving**, adding, ... SAP BW need to be planned to provide timely results, avoid **resource** ... that it does not allow **extracting** data from other database systems like IBM ... Operational Data **Store**: It stores detailed data and supports tactical, day-to-day ...
www.thespot4sap.com/SAP_Business_Warehouse.pdf - Similar

78. [PDF] Grid'5000: A Large Scale and Highly Reconfigurable Grid ...

File Format: PDF/Adobe Acrobat
by I LIP - Related articles
cause of the difficulty to capture and **extract** the factors in- fluencing the distributed systems. Emulators can address ... applications on **virtual** Grid **resources**. **Resource virtual**- ... form, **connecting** real machines by the Internet, at the planet from the broker, allowing the user to **retrieve** information of ...
www.labri.fr/perso/ejeannot/publications/grid05.pdf

79. CICS Commands & examples - AIX -IBM小机基本技术 - LoveUnix 最...

Dec 22, 2003 ... EXEC CICS ENQ **RESOURCE**(data-area) [LENGTH (data-value)] ... **retrieve** values from an ATTACH FMH EXEC CICS **EXTRACT** ATTACH ... used in a back end program to obtain information passed via the **CONNECT** PROCESS command in the

front end program free **virtual** storage acquired via a load command ...

www.loveunix.net/thread-14179-1-1.html - China - Cached

80. Publications « Département RS2M

We **extract** useful observations and obtain closed form expressions for the session Client nodes (CNs) **connect** to super-nodes and rely on them for sharing their ... **Virtual resources** are perceived as objects that can be described using metadata **retrieving** and tagging algorithms on structured P2P networks. ...

rs2m.telecom-sudparis.eu/en/publications/ - Cached

81. ActionScript 3.0 Cookbook - O'Reilly Media

... create expressive and interactive web applications that can reach **virtually** anyone on any platform. With top-notch books and innovative online **resources** covering the latest in ... **Storing** Complex or Multidimensional Data ... **Extracting** a Substring ... **Retrieving** the Date Values ... **Connecting** to a Socket Server ...
oreilly.com/catalog/9780596526955 - Cached - Similar

82. Freeware Tools and System Utilities for Windows

When you **connect** to a network share on your LAN or to your After **retrieving** the DNS records for the desired domains, of special folders that are used for **storing** application settings and files, **storing** Internet files, NET applications, and **extract** all . NET embedded **resources** (Bitmaps, Gifs, ...
www.nirsoft.net/utills/ - Cached - Similar

83. [PDF] Managing Enterprise Services in **Virtual** Environments

File Format: PDF/Adobe Acrobat - Quick View

by S Schneider - 2008 - Related articles

Jul 6, 2008 ... control aspects of the **virtual** infrastructure, such as **resource** mechanism to **connect** to the data source, that is the **actual** sensor, actively trying to **retrieve** it. In the end, it comes down to a in the object and **store** an arbitrary result (e.g. return values or error messages) ...

www.hpl.hp.com/techreports/2008/HPL-2008-85.pdf

84. [PDF] Design and implementation of a distributed learning **resource** ...

File Format: PDF/Adobe Acrobat - View as HTML

by ZGYZKY Kun - Related articles

mechanism is also presented to find and **retrieve** user ... **resources** and **extract** their location information. Then the ... located in different places on the Internet can **connect** and ... logical separated databases are used to **store** different types of data. ... **virtual** learning **resources** marketplace event to current ...

pami.uwaterloo.ca/~nwanas/ftp/nabila/01357217.pdf

85. Convergence of Technology: Integrating CollabraSpace Collaboration ...

Campuses, which are the **virtual** grounds that buildings are housed on **Extract** the Web archive file (.war file) from the enterprise archive file by using the value) ; } } // Make the request connection. **connect()** ; // **Retrieve** the content Reader ... Figure 1: Placing the portal code into the **resource** set. ...

support.novell.com/techcenter/articles/dnd20021204.html - Cached

86. Hospitality Upgrade magazine, Virtually There, Jon Inge ...

Economies of scale mean that cloud **resources** are less expensive than those at ... with clients paying for only the **actual resources** used. ... **Storing** all this data on cloud-based servers is cheaper than continually to switch cloud providers and then might worry about **retrieving** its data. **Connect** with us ...

www.hospitalityupgrade.com/_.../magazine_Detail-ID-511.asp
- Cached

87. Least Tern - **Resources** for Teaching about Technology

Resources for the Technology teacher, including hands-on activities, **virtual** field trips, ... Invention at Play - a **virtual** tour of the Smithsonian Exhibit ... about critical issues and in doing so, **construct** and trouble shooting the networking, or drawing pen - IE caches the annotated page and can **retrieve** it ...

www.leasttern.com › Tech Class - Cached - Similar

88. [poc] Swati Chandrakar, RH Goudar and Padmanabha Aital - :: TIFAC-CORE ...

File Format: Microsoft Word - View as HTML

by S Chandrakar - Related articles

Connecting Pervasive/Ubiquitous Computing through Semantic

Web ... with each other by building and **storing** contextual information which is RDF describes **resources** with properties and property values. ... The AS head can then get the user profile and **retrieve** the user profile, **extract** the required information. ...
tifac.velammal.org/CoMPC/articles/16.doc - India

89. Cad-Capture News 2004

The geographically independent environment addresses current **resource** Capita have taken over responsibility for **storing** clients documents that were spread ... to capture all our documents and **retrieve** them straight from our desktops. This allowed ECA to **extract** information regarding the buildings at any ...
www.cadcap.com/latest-news-from-cad-capture/news-2004 - Cached

90. [PDF] AN AUTHENTICATION BROKER FOR VIRTUAL LABORATORIES

File Format: PDF/Adobe Acrobat - Quick View

by R Malta - Related articles

resources through the same e-Learning paradigm they use to **retrieve** the course contents and To **connect** to a remote **resource**, a hostname must be supplied in a The administrators of academic infrastructures will also **extract** an ...
netlab.ulusofoa.pt/id/virtlab/VirtlabPaper-INTED.pdf

91. [PDF] CHAPTER

File Format: PDF/Adobe Acrobat - Quick View

Because of this implicit character set conversion, the **actual** XML data encoding ... you can not only **retrieve** or update XML in SQL, but also manage XML will not shred this XML data, thus saving time and **resources**. XSD depends on the XML parser to build a DOM and depends on the JDBC drivers to **connect** to ...
www.mhprofessional.com/downloads/.../0072229527_ch09.pdf
- Similar

92. [PDF] Grid'5000: a large scale and highly reconfigurable Grid ...

File Format: PDF/Adobe Acrobat - Quick View

by I LIP - Related articles

cause of the difficulty to capture and **extract** the factors in- fluencing the distributed systems. ... applications on **virtual Grid resources**.
Resource virtual- ... platform, **connecting** real machines by the

Internet, at the planet scale. age, and users can **retrieve** their log files and process them. ...

mescal.imag.fr/membres/olivier.richard/Articles/Grid2005.pdf

93. [\[PDF\] Discovery and On-Demand Provisioning of Real-World Web Services](#)

File Format: PDF/Adobe Acrobat - Quick View

by D Guinard - Cited by 2 - Related articles

ring the line between the **virtual** and real worlds. This ... of **resource**-limited devices, the discovery of services and on demand provisioning of missing functionality is a challenge. sites, and used to **retrieve** types of services that describe a Real-world devices are volatile e.g. **connect** and **discon**- ...

www.vs.inf.ethz.ch/publ/papers/dguinard-discov-2009.pdf - Similar

94. [19. Internet Services](#)

Instead of accessing DAV tables, DAV server can **retrieve** data from applications ... Virtuoso DAV can **store** metadata about **resources**. ... The search can process both plain DAV **resources** and data published by applications in **virtual** collections. search and whether **resources** should be parsed to **extract** metadata: ...

docs.openlinksw.com/virtuoso/webdavserver.html - Cached - Similar

95. [Using Imap To Access Calendar On Exchange Server | TheDailyReviewer](#)

store.connect(); //this is a **resource** that needs to be cleaned up!

In the Default SMTP **Virtual** Server properties of IIS I *think* I have to point server using a filter from exchange server 2007 **extract** attachments tag or set ... I have try using Outlook to **retrieve** mail items, it works but extremely slow ...

thedailyreviewer.com/.../using-imap-to-access-calendar-on-exchange-server-105162879 - Cached

96. [\[PDF\] TextGrid and eHumanities](#)

File Format: PDF/Adobe Acrobat - Quick View

by P Gietz - Cited by 11 - Related articles

plinary environment that is both mobile and **virtual**. ... community to the **resources** for **storing** and accessing such taining to different languages/dialects, and d) **extract** mean- reference and **retrieve** specific versions of source code even ... the **actual resource** access

has to be transparent from the ...

www.textgrid.de/fileadmin/.../TextGrid-Amsterdam-2006-final.pdf

- Similar

97. [PDF] A Tool for IT-supported Visualization and Analysis of **Virtual** ...

File Format: PDF/Adobe Acrobat

by M Trier - 2005 - Cited by 3 - Related articles

actual resources stored in the organizational knowledge structure. cally **extracting** and visualizing useful and already existing data about the commu- ... and automatically accessed to **retrieve** the data of the communication network. ... to **store virtual** discussions is the Network News Transport Protocol (NNTP) ... aisel.aisnet.org/cgi/viewcontent.cgi?article=1049&context=wi2005

98. [PS] Reuse of linked Documents through **Virtual** Document Prescriptions

File Format: Adobe PostScript - View as HTML

by AM VERCOUSTRE - Cited by 9 - Related articles

extract information from linked pages. The strength of our approach is to be an instruction defines a variable to **store** the results of an SQL query that An extended link can involve any number of **resources**, and need not be co- ... **connecting** to the http server to **retrieve** the target documents (sections ...

www-rocq.inria.fr/~vercoust/DOCS/ep98.ps

99. Scientific Information Supply — Building Networked Information Systems

by L Dempsey - 1993 - Cited by 3 - Related articles

mats when **storing** electronic documents. Initially, SURFdoc In the library environment the **actual** use of standards for These tools typically **extract** data automatically from the ... to use a **resource**, **retrieve** a file, or **connect** to a database to Integrated access — real union versus **virtual** union ...

www.emeraldinsight.com/journals.htm?articleid=1668229&show=pdf


100. Intelligent Enterprise Magazine - Eye on the Competition

... such as **retrieving** Web pages on a regular basis — are more efficient mechanisms ... Before summarizing, you should **extract** the numeric data, either with a custom ... First, you must **store** the retrieved texts in a repository. ... As I explained, the core **resource** of

CI is text: The ability to collect, analyze, ...

intelligent-enterprise.informationweek.com/000908/feat1.jhtml

- Cached



virtual resources actual	Search
--------------------------	--------

[Search within results](#) [Search Help](#) [Give us feedback](#)

[Google Home](#) [Advertising Programs](#) [Business Solutions](#) [Privacy](#) [About Google](#)